X

	Application No.	Applicant(s)
Notice of Allowability	10/779,761	FURUICHI, KUNITAKA
	Examiner	Art Unit
	William C. Dowling	2851
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	olication. If not included will be mailed in due course. THIS
1. X This communication is responsive to Response of 10/6/05.		
2. 🔀 The allowed claim(s) is/are <u>3-8</u> .		
 Acknowledgment is made of a claim for foreign priority ur a)	been received. be been received in Application No cuments have been received in this re	national stage application from the
noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be subm		S AMENDMENT or NOTICE OF
INFORMAL PATENT APPLICATION (PTO-152) which give 5. CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the deponsition of the deponsition	es reason(s) why the oath or declarant be submitted. Son's Patent Drawing Review (PTO-5). S Amendment / Comment or in the O .84(c)) should be written on the drawing he header according to 37 CFR 1.121(c) sit of BIOLOGICAL MATERIAL n	tion is deficient. 948) attached Office action of the back) of the back of t
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 21804 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Summary Paper No./Mail Dat 08), 7. ☐ Examiner's Amendn	e

Application/Control Number: 10/779,761 Page 2

Art Unit: 2851

DETAILED ACTION

Allowable Subject Matter

1. Claims 3-8 are allowed.

2. The following is an examiner's statement of reasons for allowance: The prior art

of record fails ti disclose a projector having a reflector attached to a plate wherein the

plate is attached to the projector housing with sliding means that relieves force on the

contact point between the plate and the housing exceeding a limit by generating a slide

between the plate and the housing.

3. Any comments considered necessary by applicant must be submitted no later

than the payment of the issue fee and, to avoid processing delays, should preferably

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to William C. Dowling whose telephone number is 571-

272-2116. The examiner can normally be reached on MON-THURS.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Judy Nguyen can be reached on 571-272-1750. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/779,761 Page 3

Art Unit: 2851

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

wcd

William Dowling Primary Examiner